

comida PKU **B** FORMULA

For the Dietary Management of Phenylketonuria
and Hyperphenylalaninemia in
CHILDREN OVER 1 YEAR OF AGE, ADOLESCENTS AND ADULTS

- Phenylalanine free amino acid mixture
- Provides energy from fat and carbohydrates
- Easy to prepare

DESCRIPTION

comida-PKU B formula is a phenylalanine free amino acid mixture, supplemented with vitamins, minerals and trace elements. Source of carbohydrates is maltodextrin, the fat blend from vegetable oils contains the essential fatty acids linoleic acid and α -linolenic acid.

INDICATIONS

comida-PKU B formula is to be used only in the dietary management of children over 1 year of age, adolescents and adults with Phenylketonuria and Hyperphenylalaninemia under medical supervision.

RECOMMENDED USE

The daily amount of comida-PKU B formula to be used for the dietary treatment of children over 1 year of age, adolescents and adults with PKU / HPA is to be determined by a clinician or a dietitian, considering age, body weight and metabolic condition of the patient.

comida-PKU B formula should be administrated in 3-5 doses during the day.



Preparation table:

Drinking volume	Water	comida-PKU B formula		Protein content
		g	= No. of scoops*	
ml	ml			
50	45	7,5	1	2,3
100	90	15	2	4,7
200	180	30	4	9,3

* standard dilution: 15,0 g in 90 ml water

IMPORTANT NOTICE:

- Not suitable as sole source of nutrition
- Must be used under medical supervision
- Not to be used by non-PKU/HPA individuals
- For children over 1 year of age, adolescents and adults with PKU/HPA
- Not suitable for parenteral use

comida-PKU B formula is free from any preserving agent, colourings or sweeteners



produced in
GERMANY

Food for Special
Medical Purposes

comida
PKU **B** FORMULA



Ingredients: Maltodextrin, Vegetable oils (Palm oil, rapeseed oil, Palm kernel oil, sunflower oil), L-Lysine-L-Aspartate, L-Glutamine, Potassium-L-Glutamate, L-Leucine, L-Proline, L-Arginine-L-Aspartate, L-Tyrosine, L-Serine, L-Valine, L-Isoleucine, L-Threonine, tri-Calcium phosphate, L-Lysine-L-Glutamate, L-Alanin, Glycine, Emulsifier E 472 c, di-Calcium phosphate, Choline bitartrate, L-Cystine, L-Histidine, L-Tryptophan, Sodium chloride, L-Methionine, Magnesium carbonate, Vitamins (A, D, E, K, C, B1, B2, Nicotinamid, B6, Folic acid, Pantothenic acid, B12, Biotin), Inositol, L-Carnitine-L-Tartrate, Vanillin, Taurine, Iron-II-sulfate, Zinc sulfate, Potassium chloride, Manganese sulfate, Emulsifier lecithin, Antioxidants Tocopherol-rich extract and Ascorbyl palmitate, Copper sulfate, Sodium fluoride, Sodium molybdate, Potassium iodide, Chromium-III-chloride, Sodium selenite. May contain traces of milk.

Nutrition facts		per 100 g	per 100 ml*
Energy	kJ / kcal	1782/424	267/64
Fat (of which)	g	15	2,3
saturated fatty acids	g	6,3	1,0
monounsaturated fatty acids	g	6,7	1,0
polyunsaturated fatty acids	g	2,0	0,3
linoleic acid	g	1,5	0,23
α-Linolenic acid	g	0,3	0,04
Carbohydrates	g	41	6,1
of which Sugar	g	2,8	0,4
Maltodextrin	g	38	5,7
Protein equivalent **	g	31	4,7
Salt	g	0,70	0,10
Amino acids	g	37	5,6
L-Alanine	g	1,7	0,25
L-Arginine	g	1,4	0,22
L-Aspartic acid	g	3,0	0,45
L-Cystine	g	1,0	0,14
L-Glutamic acid	g	3,1	0,47
L-Glutamine	g	3,8	0,57
Glycine	g	1,3	0,20
L-Histidine	g	1,0	0,14
L-Isoleucine	g	2,0	0,30
L-Leucine	g	3,2	0,47
L-Lysine	g	2,9	0,44
L-Methionine	g	0,7	0,10
L-Proline	g	2,8	0,42
L-Serine	g	2,2	0,33
L-Threonine	g	1,9	0,29
L-Tryptophan	g	0,8	0,12
L-Tyrosine	g	2,5	0,37
L-Valine	g	2,1	0,32

Minerals		per 100 g	per 100 ml*
Sodium	mg	278	42
Potassium	mg	628	94,2
Chloride	mg	438	65,7
Calcium	mg	1033	155
Phosphorus	mg	610	91,5
Magnesium	mg	151	22,7
Iron	mg	14	2,1
Trace elements			
Zinc	mg	9,3	1,4
Copper	µg	1088	163
Iodine	µg	155	23,3
Chromium	µg	31	4,7
Fluoride	µg	187	28
Manganese	µg	2177	327
Molybdenum	µg	84	13
Selenium	µg	37	5,6
Vitamins			
Vitamin A (RE)	µg	623	93,5
Vitamin D	µg	9,3	1,4
Vitamin E (α-Tocopherol)	mg	11	1,6
Vitamin K	µg	34	5,1
Vitamin C	mg	84	13
Vitamin B1	µg	1028	154
Vitamin B2	µg	1402	210
Niacin	mg	14	2,1
Vitamin B6	µg	935	140
Folate (DFE)	µg	260	38,9
Pantothenic acid	mg	8,3	1,2
Vitamin B12	µg	1,9	0,28
Biotin	µg	31	4,7
Choline	mg	404	61
Inositol	mg	140	21
Taurine	mg	78	12
L-Carnitine	mg	78	12

* 15,0 g in 90 ml water ** Conversion: 1 g Protein = 1,2 g Amino acids = 17 kJ = 4 kcal

comida PKU **B** FORMULA

Chocolate

For the Dietary Management of Phenylketonuria
and Hyperphenylalaninemia in
CHILDREN OVER 3 YEARS OF AGE, ADOLESCENTS AND ADULTS

- Phenylalanine free amino acid mixture
- Provides energy from fat and carbohydrates
- Easy to prepare
- With pleasant and intensive Chocolate taste, dissolves in low volume

DESCRIPTION

comida-PKU B formula Chocolate is a phenylalanine-free amino acid mixture supplemented with vitamins, minerals and trace elements. Source of carbohydrates is maltodextrin, the fat blend from vegetable oils contains the essential fatty acids linoleic acid and α -linolenic acid.

INDICATIONS

comida-PKU B formula Chocolate is to be used in the dietary treatment of children over 3 years of age, adolescents and adults with Phenylketonuria and Hyperphenylalaninemia under medical supervision.

RECOMMENDED USE

The daily amount of comida-PKU B formula Chocolate to be used for the dietary treatment of children over 3 years of age, adolescents and adults with PKU / HPA is to be determined by a clinician or a dietician, considering age, body weight and metabolic condition of the patient.

comida-PKU B formula Chocolate should be administrated in 3-5 doses during the day.



Preparation table:

Drinking volume	Water	comida-PKU B formula Chocolate		Protein content
ml	ml	g	= No. of scoops*	= g Protein equivalent
50	45	7,5	1	2,3
100	90	15	2	4,7
200	180	30	4	9,3

* standard dilution: 15,0 g in 90 ml water

IMPORTANT NOTICE:

- Not suitable as sole source of nutrition
- Must be used under medical supervision
- Not to be used by non-PKU/HPA individuals
- For children over 3 years of age, adolescents and adults with PKU/HPA
- Not suitable for parenteral use



produced in
GERMANY

Food for Special
Medical Purposes

comida-PKU B formula Chocolate is free
from any preserving agent or colourings

DrSchär

comida

PKU **B** FORMULA

Chocolate



Ingredients: Maltodextrin, Vegetable oils (Palm oil, rapeseed oil, Palm kernel oil, sunflower oil), L-Lysine-L-Aspartate, L-Glutamine, Potassium-L-Glutamate, L-Leucine, Cocoa 3,0 g, L-Proline, L-Arginine-L-Aspartate, L-Tyrosine, L-Serine, L-Valine, L-Isoleucine, L-Threonine, tri-Calcium phosphate, L-Lysine-L-Glutamate, L-Alanine, Glycine, di-Calcium phosphate, Emulsifier E 472c, Chocolate flavouring, Choline bitartrate, L-Cystine, L-Histidine, L-Tryptophan, Sodium chloride, L-Methionine, Magnesium carbonate, Vitamins (A, D, E, K, C, B1, B2, Nicotinamid, B6, Folic acid, Pantothenic acid, B12, Biotin), Inositol, L-Carnitine-L-Tartrate, Vanillin, Taurine, artificial sweetener Saccharin-Sodium, Iron-II-sulfate, Zinc sulfate, Potassium chloride, Manganese sulfate, Emulsifier lecithine, Antioxidants Ascorbyl palmitate and Tocopherol-rich extract, Copper sulfate, Sodium fluoride, Sodium molybdate, Potassium iodide, Chromium-III-chloride, Sodium selenite. May contain traces of milk.

Nutrition facts		per 100 g	per 100 ml*
Energy	kJ / kcal	1745/415	262/62
Fat (of which)	g	14	2,1
saturated fatty acids	g	6,1	0,91
monounsaturated fatty acids	g	6,3	0,95
polyunsaturated fatty acids	g	1,8	0,27
linoleic acid	g	1,5	0,22
α-Linolenic acid	g	0,26	0,04
Carbohydrates	g	39	5,8
of which Sugar	g	2,8	0,4
Maltodextrin	g	35,0	5,3
Protein equivalent **	g	31	4,7
Salt	g	0,7	0,1
Amino acids	g	37	5,6
L-Alanine	g	1,7	0,25
L-Arginine	g	1,4	0,22
L-Aspartic acid	g	3,0	0,45
L-Cystine	g	1,0	0,15
L-Glutamic acid	g	3,1	0,47
L-Glutamine	g	3,8	0,57
Glycine	g	1,3	0,20
L-Histidine	g	1,0	0,15
L-Isoleucine	g	2,0	0,30
L-Leucine	g	3,2	0,47
L-Lysine	g	2,9	0,44
L-Methionine	g	0,69	0,10
L-Phenylalanine	g	0,03	0,005
L-Proline	g	2,8	0,42
L-Serine	g	2,2	0,33
L-Threonine	g	1,9	0,29
L-Tryptophan	g	0,83	0,12
L-Tyrosine	g	2,5	0,37
L-Valine	g	2,1	0,32

Minerals		per 100 g	per 100 ml*
Sodium	mg	279	42
Potassium	mg	628	94,2
Chloride	mg	438	65,7
Calcium	mg	1033	155
Phosphorus	mg	610	91,5
Magnesium	mg	151	22,7
Iron	mg	14	2,1
Trace elements			
Zinc	mg	9,3	1,4
Copper	µg	1088	163
Iodine	µg	155	23,3
Chromium	µg	31	4,7
Fluoride	µg	187	28
Manganese	µg	2177	327
Molybdenum	µg	84	13
Selenium	µg	37	5,6
Vitamins			
Vitamin A (RE)	µg	623	93,5
Vitamin D	µg	9,3	1,4
Vitamin E (α-Tocopherol)	mg	11	1,6
Vitamin K	µg	34	5,1
Vitamin C	mg	84	13
Vitamin B1	µg	1028	154
Vitamin B2	µg	1402	210
Niacin	mg	14	2,1
Vitamin B6	µg	935	140
Folate (DFE)	µg	260	38,9
Pantothenic acid	mg	8,3	1,2
Vitamin B12	µg	1,9	0,28
Biotin	µg	31	4,7
Choline	mg	404	61
Inositol	mg	140	21
Taurine	mg	78	12
L-Carnitine	mg	78	12

* 15,0 g in 90 ml water ** Conversion: 1 g Protein = 1,2 g Amino acids = 17 kJ = 4 kcal

DrSchär

comida PKU **B** FORMULA

Cream Caramel

For the Dietary Management of Phenylketonuria
and Hyperphenylalaninemia in
CHILDREN OVER 3 YEARS OF AGE, ADOLESCENTS AND ADULTS

- Phenylalanine free amino acid mixture
- Provides energy from fat and carbohydrates
- Easy to prepare
- With Cream Caramel taste, dissolves in low volume

DESCRIPTION

comida-PKU B formula Cream Caramel is a phenylalanine-free amino acid mixture supplemented with vitamins, minerals and trace elements. The main source of carbohydrates is maltodextrin, the fat blend from vegetable oils contains the essential fatty acids linoleic acid and α -linolenic acid.

INDICATIONS

comida-PKU B formula Cream Caramel is to be used in the dietary treatment of children over 3 years of age, adolescents and adults with Phenylketonuria and Hyperphenylalaninemia under medical supervision.

RECOMMENDED USE

The daily amount of comida-PKU B formula Cream Caramel to be used for the dietary treatment of children over 3 years of age, adolescents and adults with PKU / HPA is to be determined by a clinician or a dietician, considering age, body weight and metabolic condition of the patient.

comida-PKU B formula Cream Caramel should be administrated in 3-5 doses during the day.



Preparation table:

Drinking volume	Water	comida-PKU B formula Cream Caramel		Protein content
ml	ml	g	= No. of scoops*	= g Protein equivalent
50	45	7,5	1	2,3
100	90	15	2	4,7
200	180	30	4	9,3

* standard dilution: 15,0 g in 90 ml water

IMPORTANT NOTICE:

- Not suitable as sole source of nutrition
- Must be used under medical supervision
- Not to be used by non-PKU/HPA individuals
- For children over 3 years of age, adolescents and adults with PKU/HPA
- Not suitable for parenteral use

comida-PKU B formula Cream Caramel is free from any preserving agent or colourings



produced in
GERMANY

Food for Special
Medical Purposes

comida

PKU **B** FORMULA

Cream Caramel



Ingredients: Maltodextrin, Vegetable oils (Palm oil, rapeseed oil, Palm kernel oil, sunflower oil), L-Lysine-L-Aspartate, L-Glutamine, Potassium-L-Glutamate, L-Leucine, L-Proline, L-Arginine-L-Aspartate, L-Tyrosine, L-Serine, L-Valine, L-Isoleucine, L-Threonine, tri-Calcium phosphate, L-Lysine-L-Glutamate, L-Alanine, Glycine, Emulsifier E 472 c, di-Calcium phosphate, Choline bitartrate, L-Cystine, L-Histidine, L-Tryptophan, Sodium chloride, L-Methionine, Magnesium carbonate, Cream-Caramel flavouring, Vitamins (A, D, E, K, C, B1, B2, Nicotinamid, B6, Folic acid, Pantothenic acid, B12, Biotin), instant caramel, Inositol, L-Carnitine-L-Tartrate, Vanillin, Taurine, Iron-II-sulfate, artificial sweetener Saccharin-Sodium, Zinc sulfate, Potassium chloride, Manganese sulfate, Emulsifier lecithin, Antioxidants Ascorbylpalmitate and Tocopherol-rich extract, Copper sulfate, Sodium fluoride, Sodium molybdate, Potassium iodide, Chromium-III-chloride, Sodium selenite. May contain traces of milk.

Nutrition facts		per 100 g	per 100 ml*
Energy	kJ / kcal	1777/422	266/63
Fat (of which)	g	15	2,2
saturated fatty acids	g	6,3	0,95
monounsaturated fatty acids	g	6,6	0,99
polyunsaturated fatty acids	g	1,9	0,28
linoleic acid	g	1,5	0,23
α-Linolenic acid	g	0,27	0,04
Carbohydrates	g	41	6,1
of which Sugar	g	3,0	0,4
Maltodextrin	g	37	5,7
Protein equivalent **	g	31	4,7
Salt	g	0,70	0,10
Amino acids	g	37	5,6
L-Alanine	g	1,7	0,25
L-Arginine	g	1,4	0,22
L-Aspartic acid	g	3,0	0,45
L-Cystine	g	1,0	0,15
L-Glutamic acid	g	3,1	0,47
L-Glutamine	g	3,8	0,57
Glycine	g	1,3	0,20
L-Histidine	g	1,0	0,15
L-Isoleucine	g	2,0	0,30
L-Leucine	g	3,2	0,47
L-Lysine	g	2,9	0,44
L-Methionine	g	0,69	0,10
L-Proline	g	2,8	0,42
L-Serine	g	2,2	0,33
L-Threonine	g	1,9	0,29
L-Tryptophan	g	0,83	0,12
L-Tyrosine	g	2,5	0,37
L-Valine	g	2,1	0,32

Minerals		per 100 g	per 100 ml*
Sodium	mg	279	42
Potassium	mg	628	94,2
Chloride	mg	438	65,7
Calcium	mg	1033	155
Phosphorus	mg	610	91,5
Magnesium	mg	151	22,7
Iron	mg	14	2,1
Trace elements			
Zinc	mg	9,3	1,4
Copper	µg	1088	163
Iodine	µg	155	23,3
Chromium	µg	31	4,7
Fluoride	µg	187	28
Manganese	µg	2177	327
Molybdenum	µg	84	13
Selenium	µg	37	5,6
Vitamins			
Vitamin A (RE)	µg	623	93,5
Vitamin D	µg	9,3	1,4
Vitamin E (α-Tocopherol)	mg	11	1,6
Vitamin K	µg	34	5,1
Vitamin C	mg	84	13
Vitamin B1	µg	1028	154
Vitamin B2	µg	1402	210
Niacin	mg	14	2,1
Vitamin B6	µg	935	140
Folate (DFE)	µg	260	38,9
Pantothenic acid	mg	8,3	1,2
Vitamin B12	µg	1,9	0,28
Biotin	µg	31	4,7
Choline	mg	404	61
Inositol	mg	140	21
Taurine	mg	78	12
L-Carnitine	mg	78	12

* 15,0 g in 90 ml water ** Conversion: 1 g Protein = 1,2 g Amino acids = 17 kJ = 4 kcal

DrSchär

comida PKU **B** FORMULA

Cream Orange-Lemon

For the Dietary Management of Phenylketonuria
and Hyperphenylalaninemia in
CHILDREN OVER 3 YEARS OF AGE, ADOLESCENTS AND ADULTS

- Phenylalanine free amino acid mixture
- Provides energy from fat and carbohydrates
- Easy to prepare
- With Cream Orange-Lemon taste, dissolves in low volume

DESCRIPTION

comida-PKU B formula Cream Orange-Lemon is a phenylalanine-free amino acid mixture supplemented with vitamins, minerals and trace elements. Source of carbohydrates is maltodextrin, the fat blend from vegetable oils contains the essential fatty acids linoleic acid and α -linolenic acid.

INDICATIONS

comida-PKU B formula Cream Orange-Lemon is to be used in the dietary treatment of children over 3 years of age, adolescents and adults with Phenylketonuria and Hyperphenylalaninemia under medical supervision.

RECOMMENDED USE

The daily amount of comida-PKU B formula Cream Orange-Lemon to be used for the dietary treatment of children over 3 years of age, adolescents and adults with PKU / HPA is to be determined by a clinician or a dietician, considering age, body weight and metabolic condition of the patient. comida-PKU B formula Cream Orange-Lemon should be administered in 3-5 doses during the day.

Preparation table:

Drinking volume	Water	comida-PKU B formula Cream Orange-Lemon		Protein content
		ml	= No. of scoops*	
50	45	7,5	1	2,3
100	90	15	2	4,7
200	180	30	4	9,3

* standard dilution: 15,0 g in 90 ml water

IMPORTANT NOTICE:

- Not suitable as sole source of nutrition
- Must be used under medical supervision
- Not to be used by non-PKU/HPA individuals
- For children over 3 years of age, adolescents and adults with PKU/HPA
- Not suitable for parenteral use



comida-PKU B formula Cream Orange-Lemon is also available in monoportions:
644 g per box
(20 x 32,2 g - 1 sachet contains 10 g protein)



produced in
GERMANY

Food for Special
Medical Purposes

comida-PKU B formula Cream Orange-Lemon
is free from any preserving agent

Dr.Schär

comida

PKU **B** FORMULA

Cream Orange-Lemon



Ingredients: Maltodextrin, Vegetable oils (Palm oil, rapeseed oil, Palm kernel oil, sunflower oil), Flavours (**Lactose**), L-Lysine-L-Aspartate, L-Glutamine, Potassium-L-Glutamate, L-Leucine, L-Proline, L-Arginine-L-Aspartate, L-Tyrosine, L-Serine, L-Valine, L-Isoleucine, L-Threonine, tri-Calcium phosphate, L-Lysine-L-Glutamate, Acid: Citric acid, L-Alanine, Glycine, di-Calcium phosphate, Choline bitartrate, Emulsifier E 472c, L-Cystine, L-Histidine, L-Tryptophan, Sodium chloride, L-Methionine, Magnesium carbonate, artificial sweetener Acesulfam-K, Vitamins (A, D, E, K, C, B1, B2, Nicotinamid, B6, Folic acid, Pantothenic acid, B12, Biotin), Inositol, L-Carnitine-L-Tartrate, Taurine, Iron-II-sulfate, Zinc sulfate, Potassium chloride, Manganese sulfate, Emulsifier lecithine, Antioxidant Tocopherol-rich extract, Copper sulfate, Antioxidant Ascorbyl palmitate, colour -Carotene, Sodium fluoride, Sodium molybdate, Potassium iodide, Chromium-III-chloride, Sodium selenite. May contain traces of milk.

Nutrition facts		per 100 g	per 100 ml*
Energy	kJ / kcal	1735/412	260/62
Fat (of which)	g	13	2,0
saturated fatty acids	g	5,6	0,84
monounsaturated fatty acids	g	5,9	0,88
polyunsaturated fatty acids	g	1,7	0,25
linoleic acid	g	1,34	0,20
α-Linolenic acid	g	0,24	0,04
Carbohydrates	g	41	6,2
of which Sugar	g	5,1	0,8
Lactose	g	2,3	0,3
Maltodextrin	g	36	5,4
Protein equivalent **	g	31	4,7
Salt	g	0,70	0,10
Amino acids	g	37	5,6
L-Alanine	g	1,7	0,25
L-Arginine	g	1,4	0,22
L-Aspartic acid	g	3,0	0,45
L-Cystine	g	1,0	0,14
L-Glutamic acid	g	3,1	0,47
L-Glutamine	g	3,8	0,57
Glycine	g	1,3	0,20
L-Histidine	g	1,0	0,15
L-Isoleucine	g	2,0	0,30
L-Leucine	g	3,2	0,47
L-Lysine	g	2,9	0,44
L-Methionine	g	0,7	0,10
L-Proline	g	2,8	0,42
L-Serine	g	2,2	0,33
L-Threonine	g	1,9	0,29
L-Tryptophan	g	0,8	0,12
L-Tyrosine	g	2,5	0,37
L-Valine	g	2,1	0,32

Minerals		per 100 g	per 100 ml*
Sodium	mg	278	42
Potassium	mg	628	94,2
Chloride	mg	438	65,7
Calcium	mg	1033	155
Phosphorus	mg	610	91,5
Magnesium	mg	151	22,7
Iron	mg	14	2,1
Trace elements			
Zinc	mg	9,3	1,4
Copper	µg	1088	163
Iodine	µg	155	23,3
Chromium	µg	31	4,7
Fluoride	µg	187	28
Manganese	µg	2177	327
Molybdenum	µg	84	13
Selenium	µg	37	5,6
Vitamins			
Vitamin A (RE)	µg	623	93,5
Vitamin D	µg	9,3	1,4
Vitamin E (α-Tocopherol)	mg	11	1,6
Vitamin K	µg	34	5,1
Vitamin C	mg	84	13
Vitamin B1	µg	1028	154
Vitamin B2	µg	1402	210
Niacin	mg	14	2,1
Vitamin B6	µg	935	140
Folate (DFE)	µg	260	38,9
Pantothenic acid	mg	8,3	1,2
Vitamin B12	µg	1,9	0,28
Biotin	µg	31	4,7
Choline	mg	404	61
Inositol	mg	140	21
Taurine	mg	78	12
L-Carnitine	mg	78	12

* 15,0 g in 90 ml water ** Conversion: 1 g Protein = 1,2 g Amino acids = 17 kJ = 4 kcal

DrSchär

comida PKU **B** FORMULA

Strawberry

For the Dietary Management of Phenylketonuria
and Hyperphenylalaninemia in

CHILDREN OVER 3 YEARS OF AGE, ADOLESCENTS AND ADULTS

- Phenylalanine free amino acid mixture
- Provides energy from fat and carbohydrates
- Easy to prepare
- With Strawberry taste, dissolves in low volume

DESCRIPTION

comida-PKU B formula Strawberry is a phenylalanine-free amino acid mixture supplemented with vitamins, minerals and trace elements. Source of carbohydrates is maltodextrin, the fat blend from vegetable oils contains the essential fatty acids linoleic acid and α -linolenic acid.

INDICATIONS

comida-PKU B formula Strawberry is to be used in the dietary treatment of children over 3 years of age, adolescents and adults with Phenylketonuria and Hyperphenylalaninemia under medical supervision.

RECOMMENDED USE

The daily amount of comida-PKU B formula Strawberry to be used for the dietary treatment of children over 3 years of age, adolescents and adults with PKU / HPA is to be determined by a clinician or a dietician, considering age, body weight and metabolic condition of the patient.

comida-PKU B formula Strawberry should be administered in 3-5 doses during the day.



Preparation table:

Drinking volume	Water	comida-PKU B formula Strawberry		Protein content
ml	ml	g	= No. of scoops*	= g Protein equivalent
50	45	7,5	1	2,3
100	90	15	2	4,7
200	180	30	4	9,3

* standard dilution: 15,0 g in 90 ml water

IMPORTANT NOTICE:

- Not suitable as sole source of nutrition
- Must be used under medical supervision
- Not to be used by non-PKU/HPA individuals
- For children over 3 years of age, adolescents and adults with PKU/HPA
- Not suitable for parenteral use



produced in
GERMANY

Food for Special
Medical Purposes

comida-PKU B formula Strawberry
is free from any preserving agent

DrSchär

comida

PKU **B** FORMULA

Strawberry



Ingredients: Maltodextrin, Vegetable oils (Palm oil, rapeseed oil, Palm kernel oil, sunflower oil), L-Lysine-L-Aspartate, L-Glutamine, Potassium-L-Glutamate, L-Leucine, L-Proline, L-Arginine-L-Aspartate, L-Tyrosine, L-Serine, L-Valine, L-Isoleucine, L-Threonine, tri-Calcium phosphate, L-Lysine-L-Glutamate, L-Alanin, Glycine, Emulsifier E 472c, di-Calcium phosphate, Choline bitartrate, L-Cystine, L-Histidine, Strawberry powder 1,0 g, Acid: Citric acid, Strawberry flavouring (**Lactose**), L-Tryptophan, Sodium chloride, L-Methionine, Magnesium carbonate, colour Beetroot, Vitamins (A, D, E, K, C, B1, B2, Nicotinamid, B6, Folic acid, Pantothenic acid, B12, Biotin), Inositol, L-Carnitine-L-Tartrate, Vanillin, Taurine, artificial sweetener Saccharin-Sodium, Iron-II-sulfate, Zinc sulfate, Potassium chloride, Manganese sulfate, Emulsifier lecithin, Antioxidants Ascorbyl palmitate and Tocopherol-rich extract, Copper sulfate, Sodium fluoride, Sodium molybdate, Potassium iodide, Chromium-III-chloride, Sodium selenite. May contain traces of **milk**.

Nutrition facts		per 100 g	per 100 ml*
Energy	kJ / kcal	1764/419	265/63
Fat (of which)	g	14	2,1
saturated fatty acids	g	6,0	0,90
monounsaturated fatty acids	g	6,3	0,95
polyunsaturated fatty acids	g	1,8	0,27
linoleic acid	g	1,5	0,22
α-Linolenic acid	g	0,25	0,04
Carbohydrates	g	41	6,1
of which Sugar	g	3,5	0,5
Lactose	g	0,4	0,1
Maltodextrin	g	36	5,3
Protein equivalent **	g	31	4,7
Salt	g	0,7	0,1
Amino acids	g	37	5,6
L-Alanine	g	1,7	0,25
L-Arginine	g	1,4	0,22
L-Aspartic acid	g	3,0	0,45
L-Cystine	g	1,0	0,15
L-Glutamic acid	g	3,1	0,47
L-Glutamine	g	3,8	0,57
Glycine	g	1,3	0,20
L-Histidine	g	1,0	0,15
L-Isoleucine	g	2,0	0,30
L-Leucine	g	3,2	0,47
L-Lysine	g	2,9	0,44
L-Methionine	g	0,69	0,10
L-Phenylalanine	g	0,01	0,0015
L-Proline	g	2,8	0,42
L-Serine	g	2,2	0,33
L-Threonine	g	1,9	0,29
L-Tryptophan	g	0,83	0,12
L-Tyrosine	g	2,5	0,37
L-Valine	g	2,1	0,32

Minerals		per 100 g	per 100 ml*
Sodium	mg	279	42
Potassium	mg	628	94,2
Chloride	mg	438	65,7
Calcium	mg	1033	155
Phosphorus	mg	610	91,5
Magnesium	mg	151	22,7
Iron	mg	14	2,1
Trace elements			
Zinc	mg	9,3	1,4
Copper	µg	1088	163
Iodine	µg	155	23,3
Chromium	µg	31	4,7
Fluoride	µg	187	28
Manganese	µg	2177	327
Molybdenum	µg	84	13
Selenium	µg	37	5,6
Vitamins			
Vitamin A (RE)	µg	623	93,5
Vitamin D	µg	9,3	1,4
Vitamin E (α-Tocopherol)	mg	11	1,6
Vitamin K	µg	34	5,1
Vitamin C	mg	84	13
Vitamin B1	µg	1028	154
Vitamin B2	µg	1402	210
Niacin	mg	14	2,1
Vitamin B6	µg	935	140
Folate (DFE)	µg	260	38,9
Pantothenic acid	mg	8,3	1,2
Vitamin B12	µg	1,9	0,28
Biotin	µg	31	4,7
Choline	mg	404	61
Inositol	mg	140	21
Taurine	mg	78	12
L-Carnitine	mg	78	12

* 15,0 g in 90 ml water ** Conversion: 1 g Protein = 1,2 g Amino acids = 17 kJ = 4 kcal

DrSchär